DO NOT USE FOR FLIGHT

FLIGHT MANUAL

PART I - User's Manual

Captain Sim is not affiliated with any entity mentioned or pictured in this document.
All trademarks are the property of their respective owners.

DO NOT USE FOR FLIGHT

ABOUT THIS MANUAL

VERSION: 05 MAY, 2012

WARNING: THIS MANUAL IS DESIGNED FOR MICROSOFT® FSX USE ONLY. DO NOT USE FOR FLIGHT.

The '737 Captain' FLIGHT MANUAL is organized into four Parts:
Each Part is provided as a separate Acrobat® PDF document:

Click START > Programs > Captain Sim > 737 Captain >

- **Part I – User's Manual** - this document.
  - The User's Manual describes the '737 Captain' Sim product as a software title.
- **Part II – Aircraft Systems**
- **Part III – Normal Procedures**
- **Part IV – Flight Crew Training Manual**

Adobe Acrobat® Reader Required

FOR GENERAL INFORMATION ON THE '737 CAPTAIN' PRODUCT PLEASE USE WWW.CAPTAINSIM.COM .
THIS MANUAL PROVIDES ADDITIONAL INFORMATION ONLY, WHICH IS NOT AVAILABLE ON THE WEB SITE.

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

737 Captain FLIGHT MANUAL

CONTENTS

5	**737-200**
5	**BOEING 737-200 AIRCRAFT**
6	SPECIFICATION
6	INSTALLATION
6	UNINSTALLATION
7	**EXTERIOR MODELS**
7	ANIMATIONS
9	MISC FEATURES
10	VARIOUS AIRLINES UNIFORMS
10	PRE-SAVED VIEWS
11	**INTERIOR (VIRTUAL COCKPIT)**
11	FLIGHT DECK
11	ANIMATIONS
12	MISC FEATURES
13	PRE-SAVED VIEWS
13	CABIN
13	ANIMATIONS
14	PRE-SAVED VIEWS
15	**2D PANELS**
15	737-200 'SIMICONS' PANEL
15	737-200C/F 'SIMICONS' PANEL
16	737-200 MODEL ANIMATION CONTROL PANEL
17	737-200C ANIMATION CONTROL PANEL
18	737-200F ANIMATION CONTROL PANEL
19	LOAD MANAGER
19	**SYSTEMS**
20	**737-100 EXPANSION MODEL**
20	**THE BOEING 737-100 AIRCRAFT**
21	SPECIFICATION
21	INSTALLATION
21	UNINSTALLATION
22	**HOW IS THE 737-100 MODEL DIFFERENT FROM 737-200 MODEL**
22	VARIOUS AIRLINES UNIFORMS
23	**737-200ADV EXPANSION MODEL**
23	**THE BOEING 737-200ADV AIRCRAFT**
24	SPECIFICATION
24	INSTALLATION
24	UNINSTALLATION
25	**HOW IS THE 737-200ADV MODEL DIFFERENT FROM 737-200 MODEL**

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

25 VARIOUS AIRLINES UNIFORMS

26 737-200C/F EXPANSION MODELS

26 SPECIFICATION
27 INSTALLATION
27 UNINSTALLATION

28 THE BOEING 737-200C (CONVERTIBLE) AIRCRAFT

29 PRE-SAVED VIEWS (737-200C)
29 HOW IS THE 737-200C EXTERIOR MODEL DIFFERENT FROM 737-200 MODEL

30 THE BOEING 737-200F (FREIGHTER) AIRCRAFT

31 PRE-SAVED VIEWS (737-200F)
31 HOW IS THE 737-200F EXTERIOR MODEL DIFFERENT FROM 737-200 MODEL

32 ACE (AIRCRAFT CONFIGURATION EDITOR) UTILITY

32 'FLEET' TAB
32 EXISTING
33 'ADD NEW' BUTTON
34 'PREFLIGHT' TAB
34 B737-100 TAB
35 B737-200 TAB
36 B737-200C/F TAB

37 REPAINT KIT

38 FREE LIVERIES

39 CUSTOMER CARE

© 2012 Captain Sim www.captainsim.com

737-200

The **737-200** is the base pack that delivers interior, systems and sound to all of the 737 Captain expansion models (-100, -200C/F, ADV).

BOEING 737-200 AIRCRAFT



The Boeing 737 is a midsize, short- to medium-range, twin-engine narrow-body jet airliner. Originally developed as a shorter, lower-cost twin-engine airliner derived from Boeing's 707 and 727, the 737 has developed into a family of nine passenger models with a capacity of 85 to 215 passengers. The 737 is Boeing's only narrow-body airliner in production.

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

SPECIFICATION

The **737-200** is available as a separate product at www.captainsim.com as 'one-click' installation .exe file.

File Name: csp732_XX00.exe

Size: ~194 MB

INSTALLATION

1. Shortly after a purchase you will receive an email message from Captain Sim Sales with your Order Number and download links.



Note:

How to get the product download links if you have not received the email receipt?

- Please check-in to Your Profile (ORDER NUMBER REQUIRED)
- In Your Profile click: ***Product Name > Extended Download Service*** and download the product.
- Please keep your ORDER NUMBER safe. You will need it for future re-install, updates etc.

2. Download the .exe file to any folder. Please backup the file(s) to avoid an extra charge in future. Please keep your download and Check-in info safe.

3. Run the .exe file (right click on the .exe file, select 'Run as Administrator') and follow the prompts.

Note:

- YOUR PC MUST BE CONNECTED TO THE INTERNET FOR THE INSTALLATION.
- ORDER NUMBER IS REQUIRED FOR THE INSTALLATION.
- The installation software will automatically add the '737-200' to your MSFS.
- Upon installing the models will appear as 'Boeing 737-200' under 'Captain Sim' manufacturer in the MSFS aircraft selection menu.
- Links to Support, Updates, Manuals and Uninstall will be available via: Click START > Programs > Captain Sim > 737 Captain >

UNINSTALLATION

Click START > Programs > Captain Sim > 737 Captain > 737-200 > Uninstall

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

EXTERIOR MODELS

Accurate digital replica of the Boeing 737-200 (Original) aircraft.

ANIMATIONS

The model features hundreds of realistic animations:

Pilots' windows (2)



Engine cowlings (4)

Ground power supply

Engine intake covers (2)

Aft service door

Pilots

Wheel chocks (6)

Landing gear doors (4)

Compressor fans (2)

Plugs (6)

Nose wheel steering

Emergency exits (2)

Elevators (2)

Rudder

Engine reversers (2)

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

Radome

Radar antenna

Spoilers (10 sections)

Starboard fwd cargo door

Wing flaps (24 sections)

Stewardess



Ailerons (2)

Landing gears (3)

Wing slats (4 sections)

Starboard aft cargo door

Main passenger door

Stabilizer

APU cowling

Angle of attack sensors (2)

Aft cooling doors (2)

Aft equipment center

Aft lavatory valve



Ailerons trim

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

Elevators trim tab

Fwd equipment center

Engine exhaust covers (2)

Engine escape slides (3)

Fwd air stairs

Fwd cooling door (2)

Fwd lavatory valve

Aft passenger door

MISC FEATURES

Custom self-shade

Wing flex

Wing vortices

Night lighting

Transparent 3D windows

Passengers

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

Engine smoke

VARIOUS AIRLINES UNIFORMS

American Airlines

Canadian North

Canadian North

British Airways

PRE-SAVED VIEWS



Right side window

Left side window

Landing gear



Left wing



Tail



Right wing

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

INTERIOR (VIRTUAL COCKPIT)

FLIGHT DECK

Highly detailed and functional flight deck.

ANIMATIONS

Hundreds of custom animations:

Seat arm rests (4)

Pilot's seats (2) (up-down, fwd-bwd)



Sun shields (4)

Charts (2)

Pedals position adjustment handles (4+2)

Pilots' windows (2)

Oxygen mask

Nose steering wheel

Wheel clipboards (2)



Wipers (2)

Removable yoke (hide yoke, click area is shown in blue)

Removable yoke (show yoke, click area is shown in blue)



© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

Control wheels and columns (2)

Control wheels checklist sliders (2)



Ailerons (2)



Wing flaps (24 sections)

Leading edge flaps

Engine reversers (2)



Spoilers (10 sections)

In addition to the above:
- Switches (150)
- Guarded Switches (18)
- Buttons (96)
- Selectors (34)
- Knobs (76)

MISC FEATURES

Exclusive Lighting Effects and Controls

Most of the following lighting features work independently providing wide selection of flight deck lighting options.

Captain's panel instruments

1st officer's panel instruments

System Lights

See FLIGHT MANUAL Part II – Aircraft Systems for details.

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

PRE-SAVED VIEWS

FSX Menu > Views > View Mode > Cockpit > Virtual Cockpit then cycle A key or press S key until you get virtual cockpit view then cycle A key

Captain's seat

First Officer's seat

Overhead

Pedestal

CABIN

Complete passenger cabin including galley and lavatories and wing views.

ANIMATIONS

Passenger seat backs

Seat tables



Aft passenger door

Aft lavatory door

Flight deck door

Arm rests

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

Service boxes

Overhead compartments



Passenger door



Service door

Blinds



Aft service door

PRE-SAVED VIEWS

Passenger seat

Fwd galley

Aft galley

Wing views

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

2D PANELS

737-200 'SIMICONS' PANEL

	A	B	*The icons legend:*	*Keys*
1			1A -- Animations control	Shift+3
			1B -- Autopilot	Shift+4
			2A -- Radio stack	~
2			2B -- FSX ATC window	Shift+5
			3A -- FSX notepad window	F10
			3B -- GPS	Shift+6
3			4A -- Bleed Air Control	-
			4B -- External Power Control	-
4			5B -- Exit the Control panel	-
5				

737-200C/F 'SIMICONS' PANEL

Press Shift+1 to show/hide the 'SIMICONS' CONTROL PANEL. The Simicons Control Panel designed to manage 2D panels and Views.

	A	B	*The icons legend:*	*Keys*
1			1A -- Animations control	Shift+3
			1B -- Autopilot	Shift+4
			2A -- Radio stack	~
2			2B -- FSX ATC window	Shift+5
			3A -- FSX notepad window	F10
			4A -- Bleed Air Control	Shift+6
3			4B -- External Power Control	-
			5A -- Loader	-
4			5B -- Exit the Control panel	-
5				

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

737-200 MODEL ANIMATION CONTROL PANEL

Press Shift+3 to show/hide the panel.



Press any white label/button to initiate the corresponding animation of the Exterior Model.

Notes:

- You cannot put the Engine covers if an engine is running.
- You cannot hide pilots if the engines are running.
- You cannot put the stewardess if escape slide is out.
- L-R – indicates that you can control left-right side items independently.
- The following animations are INOP inflight:

- Passenger doors
- Service doors
- Cargo doors
- Plugs
- Radome
- Fwd equipment center
- APU cowling
- Wheel chocks
- Escape slides
- Stabilizer compartment
- Engine cowlings
- Access door
- Air stairs
- Emergency exits
- Aft equip center
- Stewardess

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

737-200C ANIMATION CONTROL PANEL

Press Shift+3 to show/hide the panel.



Press any white label/button to initiate the corresponding animation of the Exterior Model.

Notes:

- You cannot put the Engine covers if an engine is running.
- You cannot hide pilots if the engines are running.
- L-R – indicates that you can control left-right side items independently.
- The following animations are INOP inflight:

  - Main door
  - Cargo doors
  - Plugs
  - Radome
  - Fwd equipment center
  - APU cowling
  - Wheel chocks
  - Escape slide
  - Engine cowlings
  - Air stairs
  - Emergency exits
  - Aft equip center

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

737-200F ANIMATION CONTROL PANEL

Press Shift+3 to show/hide the panel.



Press any white label/button to initiate the corresponding animation of the Exterior Model.

Notes:

- You cannot put the Engine covers if an engine is running.
- You cannot hide pilots if the engines are running.
- L-R – indicates that you can control left-right side items independently.
- The following animations are INOP inflight:

  - Main door
  - Cargo doors
  - Plugs
  - Radome
  - Fwd equipment center
  - APU cowling
  - Wheel chocks
  - Escape slide
  - Engine cowlings
  - Air stairs
  - Aft equip center

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

LOAD MANAGER

Load Manager Control panel provides real-time operation of the animated Aircraft Loader.
Use 'ICONS' CONTROL PANEL (Shift+1) to show/hide Load Manager panel or press Shift+7.



ULD Onboard
Indicates the number of Unit Load Devices onboard.

IN/OUT Pointers
Press the corresponding pointer to upload/unload the units to/from the main cargo deck.

Note:
Main Cargo Door should be open for loading. Use Model Animation Control 2D Panel (Shift+3).

7 Units Selection
Click on any available unit to load it on the Aircraft Loader. The loader should be back on the loading area with a lift lowered.

UP/DN Pointers
Press the corresponding pointer to move the Lift up or down.

FWD/BKW Pointers
Press the corresponding pointer to drive the Loader between an aircraft and loading area.

Show/Hide Loader
Press the button to show/hide the Loader.

Note:
Make sure aircraft is on parking brakes. If an aircraft start rolling with the Loaders shown they will be hidden automatically.

Press SAVE button to save changes in cargo settings.

SYSTEMS

See FLIGHT MANUAL Part II – Aircraft Systems for details.

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

737-100 Expansion Model

Expansion for 737-200 base pack.
Exterior only. The 737-200 base pack required.

This part of the manual describes the -100 specific features only.

THE BOEING 737-100 AIRCRAFT



The 737-100 and 200 are the first generation production models of the world's most successful jet airliner family, Boeing's 737 twinjet.

The 737 was conceived as a short range small capacity airliner to round out the Boeing jet airliner family beneath the 727, 720 and 707. Announced in February 1965, the 737 was originally envisioned as a 60 to 85 seater, although following consultation with launch customer Lufthansa, a 100 seat design was settled upon. Design features included two underwing mounted turbofans and 60% structural and systems commonality with the 727, including the same fuselage cross section (making it wider than the competing five abreast DC-9 and BAC-111).

The 737-100 made its first flight on April 9 1967 and entered service in February 1968 with Lufthansa, while the last of 30 built was delivered to Malaysia-Singapore Airlines in October 1969.

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

SPECIFICATION

The **737-100 Expansion Model** is available as a separate product at www.captainsim.com as 'one-click' installation .exe file.

File Name: cse731_XX00.exe

Size: ~30 MB

INSTALLATION

1. Shortly after a purchase you will receive an email message from Captain Sim Sales with your Order Number and download links.



Note:

How to get the product download links if you have not received the email receipt?

- Please check-in to Your Profile (ORDER NUMBER REQUIRED)
- In Your Profile click: ***Product Name > Extended Download Service*** and download the product.
- Please keep your ORDER NUMBER safe. You will need it for future re-install, updates etc.

2. Download the .exe file to any folder. Please backup the file(s) to avoid an extra charge in future. Please keep your download and Check-in info safe.

Note:
The 737-200 base pack must be installed before the 737-100 Expansion Model installation.

3. Run the .exe file (right click on the .exe file, select 'Run as Administrator') and follow the prompts.

Note:

- YOUR PC MUST BE CONNECTED TO THE INTERNET FOR THE INSTALLATION.
- ORDER NUMBER IS REQUIRED FOR THE INSTALLATION.
- The installation software will automatically add the '737-100 Expansion Model' to your MSFS.
- Upon installing the models will appear as 'Boeing 737-100' under 'Captain Sim' manufacturer* in the MSFS aircraft selection menu.
- Links to Support, Updates, Manuals and Uninstall will be available via: Click START > Programs > Captain Sim > 737 Captain >

UNINSTALLATION

Click START > Programs > Captain Sim > 737 Captain > 737-100 Expansion Model> Uninstall

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

HOW IS THE 737-100 MODEL DIFFERENT FROM 737-200 MODEL

Five plugs

Engine intake flaps (14)

27.61m (90'7") fuselage

VARIOUS AIRLINES UNIFORMS

Continental Airlines

Air Florida

Lufthansa

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

737-200ADV Expansion Model

Expansion for 737-200 base pack.
Exterior only. The 737-200 base pack required.

This part of the manual describes the -200ADV specific features only.

THE BOEING 737-200ADV AIRCRAFT

Developments of the -200 include the -200ADV. The definitive Advanced 737-200 appeared in 1971, featuring minor aerodynamic refinements and other improvements.

The most significant exterior features of the -ADV are the extended engine nacelles (by 1.14m/3ft 9in), broad engine pylons and the inboard leading edge flaps extended to the fuselage.

First flight - 15 Apr 1971 (Line number 400 onwards)

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

SPECIFICATION

The **737-200ADV Expansion Model** is available as a separate product at www.captainsim.com as 'one-click' installation .exe file.

File Name: cse732_XX00.exe

Size: ~21 MB

INSTALLATION

1. Shortly after a purchase you will receive an email message from Captain Sim Sales with your Order Number and download links.

Note:

How to get the product download links if you have not received the email receipt?

- Please check-in to Your Profile (ORDER NUMBER REQUIRED)
- In Your Profile click: ***Product Name > Extended Download Service*** and download the product.
- Please keep your ORDER NUMBER safe. You will need it for future re-install, updates etc.

2. Download the .exe file to any folder. Please backup the file(s) to avoid an extra charge in future. Please keep your download and Check-in info safe.

Note:
The 737-200 base pack must be installed before the 737-200ADV Expansion Model installation.

3. Run the .exe file (right click on the .exe file, select 'Run as Administrator') and follow the prompts.

Note:

- YOUR PC MUST BE CONNECTED TO THE INTERNET FOR THE INSTALLATION.
- ORDER NUMBER IS REQUIRED FOR THE INSTALLATION.
- The installation software will automatically add the '737-200ADV Expansion Model' to your MSFS.
- Upon installing the models will appear as 'Boeing 737-200ADV' under 'Captain Sim' manufacturer* in the MSFS aircraft selection menu.
- Links to Support, Updates, Manuals and Uninstall will be available via: Click START > Programs > Captain Sim > 737 Captain >

UNINSTALLATION

Click START > Programs > Captain Sim > 737 Captain > 737-200ADV Expansion Model> Uninstall

DO NOT USE FOR FLIGHT

HOW IS THE 737-200ADV MODEL DIFFERENT FROM 737-200 MODEL



Broad engine pylons

Inboard leading edge flaps extended to the fuselage



Extended engine nacelles (by 1.14m/3ft 9in)



White anti-collision strobes

VARIOUS AIRLINE UNIFORMS

KLM

MetroJet (US Airways)

© 2012 Captain Sim www.captainsim.com

737-200C/F Expansion Models

Expansion for 737-200 base pack.
Exterior only. The 737-200 base pack required.

This part of the manual describes the -200C/F specific features only.

SPECIFICATION

The **737-200C/F Expansion Model** is available as a separate product at www.captainsim.com as 'one-click' installation .exe file.

File Name: cse733_XX00.exe

Size: ~32 Mb

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

INSTALLATION

1. Shortly after a purchase you will receive an email message from Captain Sim Sales with your Order Number and download links.



Note:

How to get the product download links if you have not received the email receipt?

- Please check-in to Your Profile (ORDER NUMBER REQUIRED)
- In Your Profile click: ***Product Name > Extended Download Service*** and download the product.
- Please keep your ORDER NUMBER safe. You will need it for future re-install, updates etc.

2. Download the .exe file to any folder. Please backup the file(s) to avoid an extra charge in future. Please keep your download and Check-in info safe.

Note:
The 737-200 base pack must be installed before the 737-200C/F Expansion Model installation.

3. Run the .exe file (right click on the .exe file, select 'Run as Administrator') and follow the prompts.

Note:

- YOUR PC MUST BE CONNECTED TO THE INTERNET FOR THE INSTALLATION.
- ORDER NUMBER IS REQUIRED FOR THE INSTALLATION.
- The installation software will automatically add the '737-200C/F Expansion Model' to your MSFS.
- Upon installing the models will appear as 'Boeing 737-200C/F' under 'Captain Sim' manufacturer* in the MSFS aircraft selection menu.
- Links to Support, Updates, Manuals and Uninstall will be available via: Click START > Programs > Captain Sim > 737 Captain >

UNINSTALLATION

Click START > Programs > Captain Sim > 737 Captain > 737-200C/F Expansion Model> Uninstall

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

THE BOEING 737-200C (CONVERTIBLE) AIRCRAFT



The Convertible passenger/freight version had a 3.4m x 2.18m (138in x 86in) side cargo door (SCD) on the forward port side for pallet loading. They also had strengthened floors and additional seat tracks. As a freighter it could accommodate seven LD7 (88in x 125in) palettes on the main deck plus any loose cargo in the two holds. Conversion time was approximately 3hrs. This allowed the aircraft to used for both roles allowing it to earn money around the clock by carrying pax by day and freight overnight.

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

PRE-SAVED VIEWS (737-200C)

FSX Menu > Views > View Mode > Cockpit > Virtual Cockpit then cycle A key or press S key until you get virtual cockpit view then cycle A key

Fwd galley



Lower cargo deck



Main cargo deck

Aft galley

HOW IS THE 737-200C EXTERIOR MODEL DIFFERENT FROM 737-200 MODEL

Cargo door

Cargo loader with ULDs

Antenna

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

THE BOEING 737-200F (FREIGHTER) AIRCRAFT



Despite the convertible option, a number of the 737-200 were delivered as pure freighters. The freight version had a 3.4m x 2.18m (138in x 86in) side cargo door (SCD) on the forward port side for pallet loading. They also had strengthened floors. It could accommodate seven LD7 (88in x 125in) palettes on the main deck plus any loose cargo in the two holds.

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

PRE-SAVED VIEWS (737-200F)

FSX Menu > Views > View Mode > Cockpit > Virtual Cockpit then cycle A key or press S key until you get virtual cockpit view then cycle A key

Galley



Low cargo deck



Main cargo deck

HOW IS THE 737-200F EXTERIOR MODEL DIFFERENT FROM 737-200 MODEL

INOP rear passenger door

Cargo door



Different antennas

Cargo loader with ULDs

Protection web

No passenger windows

INOP emergency exits

Antenna

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

ACE (AIRCRAFT CONFIGURATION EDITOR) UTILITY

FLEET TAB

EXISTING



The EXISTING tab helps you to manage existing (installed to FSX) '737 Captain' liveries:

HOW TO EDIT LIVERY DESCRIPTION?

1. You can modify texts in description field and Aircraft variation field. You cannot change Aircraft type.
2. When finished, press 'SAVE CHANGES' button to save the changes.

HOW TO DELETE A LIVERY?

1. Select 'AIRCRAFT TYPE'.
2. Select 'AIRCRAFT VARIATION'.
3. Press 'DELETE VARIATION' button. Pressing 'OK' button will delete the selected variation from your '737 Captain' fleet. No backup copy will be saved.

Press SAVE CHANGES to save all settings.

'ADD NEW' BUTTON

The ADD NEW button helps you to add new '737 Captain' livery to FSX.

HOW TO ADD NEW LIVERY?

1. Make sure FSX is not running.

2. Download and unzip new `737 Captain livery` archive to any folder.

3. Make sure all textures *.dds files, d*escription.txt* and *thumbnail.jpg* files are located in one folder. NO SUBFOLDERS!
Note: If no d*escription.txt* and *thumbnail.jpg* files found, ACE will add default ones.

4. Start ACE: START > PROGRAMS > CAPTAIN SIM > 737 Captain > ACE.

6. Press 'ADD NEW' button.

7. Find the folder and select *description.txt* file. Click OPEN. You will see a window with all information about the livery you are going to add.
Note: If no description.txt found, select any *.dds or *.txt file. In this case the livery will be added as Unknown Free Livery. You can rename it later.

8. Press OK button. The new livery will appear in FSX under BOEING manufacturer, CAPTAIN SIM publisher.

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

'PREFLIGHT' TAB

Use for payload settings of the 737 models available in 737-200, 737-100 and 737-200C/F Expansion Models.

Note:
When you open this tab ACE always reads 0 KG/LBS regardless of your previous load settings.

B737-100 TAB



Use radio button to select Measurement System – LBS (pounds) or KG (kilograms).

Passengers

Click a seat or use green random boarding arrows or enter a number of passengers in the field. Actual weight will be displayed.

Cargo

Enter one ULD weight. Click ULD section image or use green arrows to load/unload cargo on the lower deck. Actual cargo weight will be displayed.

Total Load Weights – displays current total load weight (PAX + Cargo).

Note:
No fuel included/calculated. For fuel load management use FSX default utilities.

Press 'SAVE' Button. Load settings apply to 737-100 model.

DO NOT USE FOR FLIGHT

B737-200 TAB



Use radio button to select Measurement System – LBS (pounds) or KG (kilograms).

Passengers

Click a seat or use green random boarding arrows or enter a number of passengers in the field. Actual weight will be displayed.

Cargo

Enter one ULD weight. Click ULD section image or use green arrows to load/unload cargo on the lower deck. Actual cargo weight will be displayed.

Type

737-200 or ADV.

Total Load Weights – displays current total load weight (PAX + Cargo).

Note:
No fuel included/calculated. For fuel load management use FSX default utilities.

Press 'SAVE' Button. Load settings apply to 737-200 models.

DO NOT USE FOR FLIGHT

B737-200C/F TAB



Use radio button to select Measurement System – LBS (pounds) or KG (kilograms).

Enter one ULD weight for Main Cargo Deck.

Select aircraft type – 200C or 200F.

Press 'SAVE' Button. Load settings apply to 737-200C or F models.

FOR REALTIME ANIMATED LOAD MANAGEMENT RUN FSX AND USE THE '737-200C/F' LOAD MANAGER.

DO NOT USE FOR FLIGHT

REPAINT KIT

Prior to using the Repaint Kit please read Captain Sim Copyright Policy.

The repaint kit is universal for the entire 737 Captain family: -100, -200, 200ADV, -200C, -200F variants.

1. DOWNLOAD 737 Captain REPAINT KIT
Available via: Your Profile
In Your Profile click: Product Name > Repaint Kits

2. CREATE NEW LIVERY
- Texture files should not be renamed
- Texture files must be in DDS DXT1 NO ALFA format.

3. CREATE DESCRIPTION.TXT
The description.txt is required for one-click installation of the new livery using ACE.

Do not modify text shown in bold font!
Do not type text shown in grey.

The file must contain the following lines:
model=
atc_flight_number=
atc_airline=
atc_id=
ui_variation=
description=

where:

model = *can be one of the following below:*

- 100 (737-100)
- 200 (737-200)
- c (737-200C)
- f (737-200F)
- adv (737-200ADV)

atc_id = XXXXXX (any numbers & characters)

atc_airline = XXXXXX (any numbers & characters)

atc_flight_number = XXXXXX (any numbers & characters)

ui_variation = Unique variation name. Should include full name and year when the livery was current AND repaint artists' initials. For example: Lufthansa 1980 JS

description = 737 Captain (Your description of the livery**). Free livery, repaint by** Your Name. E-mail address is recommended. **\n (c) 2012 Captain Sim www.captainsim.com**

EXAMPLE OF THE DESCRIPTION.TXT FILE:
model = adv
atc_id=1234
atc_airline=1234
atc_flight_number=1234
ui_variation=Lufthansa 1980
description=737 Captain (737-100 Lufthansa, 1970). Free livery, repaint by John Smith. \n (c) 2012 Captain Sim www.captainsim.com.

DO NOT USE FOR FLIGHT

4. PACK TO ZIP ARCHIVE THE FOLLOWING FILES:

1. Texture sheets. DDS files. Include modified sheets only.
2. 256x128 pixels thumbnail.jpg image (screenshot) of the new livery.
3. description.txt file

IMPORTANT: All files must go the archive root without any intermediate folders.

5. TEST NEW LIVERY IN FSX

Try to add your livery to FSX using ACE.

5. PUBLISH NEW LIVERY USINGNG THIS FORM

Please make sure file description complies to Captain Sim Copyright Policy.

FREE LIVERIES

Free Liveries Catalog is available at our web site. Please check-in to Your Profile, click Product name link and use Get Free Liveries link.

© 2012 Captain Sim www.captainsim.com

DO NOT USE FOR FLIGHT

CUSTOMER CARE

FORUM

You are invited to join Captain Sim community forum

DAILY NEWS

For Captain Sim *daily* news please follow us at Twitter or Facebook.

VIDEO CHANNEL

For Captain Sim videos please watch our YouTube channel.

TECH SUPPORT

The '737 Captain' is one of the most advanced, complete and accurate digital replica of the Boeing 737 aircraft ever available for any game platform.

Our product is not perfect (unfortunately nothing is). But we are working on improvements. If you have some important issue to report, please check-in to Your Profile then click Product Name > Customer Support > and use the Trouble Ticket System. We process all tickets and consider the most significant issues for the next service packs.

SPECIAL THANKS TO

Mark Fletcher
Dirceu Seabra
Paul Sweeney
Brendan Downie
Marko Raicevic
Peter Orosz
Wilfredo Tour